

preliminary draft

References

- [a] PhD thesis.
- [ib]
- [Alt86] E. Altenmüller. Hirnelektrische Korrelate der cerebralen Musikverarbeitung beim Menschen. *Eur. Arch. Psychiatr. Neurol. Sci*, 235:342–354, 1986.
- [Bee89] J.G. Beerends. The influence of duration on the perception of pitch in single and simultaneous complex tones. *JASA*, 86:1835, 1989.
- [Bek60] Bekesy, Georg von. *Experiments in Hearing*. McGraw-Hill, 1960.
- [Ber85] L.L. Beranek. Wallace Clement Sabine and acoustics. *Physics Today*, February:44, 1985.
- [BFBvdB74] T.J.F. Buunen, J.M. Festen, F.A. Bilsen, and G. van den Brink. Phase effects in a three-component signal. *JASA*, 55:297, 1974.
- [Bie62] U. Biebel. Psychoakustische Untersuchungen zur Tonhöhe unharmonischer Klänge und ihre Relevanz bezüglich verschiedener Theorien zur Frequenz- und Zeitanalyse im autitorischen System, 1962.
- [Bie96] U. Biebel. *Elektrophysiologische Korrelate musikalischer Tonhöhenwahrnehmung*, 1996.
- [Bil73] F.A. Bilsen. On the influence of the number and phase of harmonics on the perceptibility of the pitch of complex signals. *Acustica*, 28:60, 1973.
- [BL96] S. Bleeck and G. Langner. Eine neue Theorie zur Erklärung des absoluten Gehörs. *Darmstadt preprint*, 1996.
- [Boe93] Boersma. Accurate short-term analysis of the fundamental frequency and the harmonic-to-noise ratio of a sampled sound. *Proceedings Inst. Phonetic Sciences Univ. Amsterdam*, 17:97, 1993.
- [BS85] W. Bialek and A. Schweitzer. Quantum noise and the threshold of hearing. *Phys. Rev. Lett.*, 54:725, 1985.
- [CGL95] M.A. Cohen, S. Grossberg, and L.L.Wyse. A spectral network model of pitch recognition. *JASA*, 98:862, 1995.

- [CS93] R.P. Carlyon and T.M. Shackleton. Comparing the fundamental frequencies of resolved and unresolved harmonics: Evidence for two pitch mechanisms? *JASA*, 95:3541, 1993.
- [dB76] E. de Boer. On the “residue” and auditory pitch perception. In W.D. Keidel and W.D. Neff, editors, *Handbook of Sensory Physiology*, volume 5. 1976.
- [dB80] E. de Boer. Auditory physics. physical principles in hearing theory. i. *Phys. Rep.*, 62:87, 1980.
- [dB84] E. de Boer. Auditory physics. physical principles in hearing theory. ii. *Phys. Rep.*, 105:141, 1984.
- [dB96] E. de Boer. Mechanics of the cochlea: Modelling efforts. In P. Dallos, A.N. Popper, and R.R. Fay, editors, *The Cochlea*. Springer, Berlin, Heidelberg, New York, 1996.
- [DCF74] P. Dallos, M.A. Cheatham, and J. Ferraro. Cochlear mechanics, nonlinearities, and cochlear potentials. *JASA*, 55:597, 1974.
- [Des50] R. Descartes. *Compendium Musicæ*. Utrecht, 1 edition, 1650. Adam,Tannery ed. vol X.
- [DF96] Popper A.N. Dallos, P. and R.R. (eds) Fay. *The Cochlea*. Springer, Berlin, Heidelberg, New York, 1996.
- [Ecc89] John C. Eccles. *Evolution of the Brain: Creation of the Self*. Routledge, London and New York, 1989. Dt. Übersetzung bei Piper.
- [EP01] J.J. Eggermont and C.W. Ponton. The neurophysiology of auditory perception: From single units to evoked potentials. *Audiology and Neuro Otology*, 7:71, 2001.
- [FG60] J.L. Flanagan and N. Guttman. On the pitch of periodic pulses. *JASA*, 32:1308, 1960.
- [FR91] N.H. Fletcher and T.D. Rossing. *The Physics of Musical Instruments*. Springer, NewYork etc., 1991.
- [G⁺98a] T.D. Griffiths et al. Analysis of temporal structure in sound by the human brain. *nature neuroscience*, 1:422, 1998.
- [G⁺98b] A. Gutschalk et al. *Deconvolution of 40 Hz steady-state fields revealeds two overlapping source activities of the human auditory cortex*, 1998.
- [GG91] C.R. Gross and H.M. Goodwin. Some considerations regarding Helmholtz’s theory of consonance. *Proc. Americ. Acad. Arts Sciences*, 27:1, 1891.

- [Gir69] C. Girdlestone. *Jean-Philippe Rameau, His Life and his Work*. Dover, New York, 1969.
- [Gre61] G.G. Greenwood. Critical bandwidth and the frequency coordinates of the basilar membrane. *JASA*, 33:1344, 1961.
- [Gre91] D.D. Greenwood. Critical bandwidth and consonance: Their operational definitions in relation to cochlear nonlinearity and combination tones . *Hearing Research*, 54:209–256, 1991.
- [GS80] A. Galaburda and F. Sanides. Cytoarchitectonic organization of the human auditory cortex. *The Journ. Comparative Neurology*, 190:597, 1980.
- [H⁺95] M. Huotilainen et al. Sustained fields of tones and glides reflect tonotopy of auditory cortex. *NeuroReport*, 6:841, 1995.
- [Har96] W.M. Hartmann. Pitch, periodicity, and auditory organization. *JASA*, 100:3491, 1996.
- [Hel56] H. Helmholtz. Ueber Combinationstöne. *Annalen der Physik und Chemie*, 99:497–540, 1856.
- [Hel63] Hermann Helmholtz. *Die Lehre von den Tonempfindungen*. Vieweg, Braunschweig, 1 edition, 1863.
- [Hel65] Hermann Helmholtz. *Die Lehre von den Tonempfindungen*. Vieweg, Braunschweig, 2 edition, 1865.
- [Hel70] Hermann Helmholtz. *Die Lehre von den Tonempfindungen*. Vieweg, Braunschweig, 3 edition, 1870.
- [Hel77] Hermann Helmholtz. *Die Lehre von den Tonempfindungen*. Vieweg, Braunschweig, 4 edition, 1877.
- [Hel92] Hermann von Helmholtz. *Handbuch der physiologischen Optik*. 2 edition, 1892.
- [Hel54] Hermann Helmholtz. *On the Sensation of Tone*. Dover, New York, 2nd english edition, 1954. Edited and translated from the 4th German edition by Alexander J. Ellis.
- [HG72] A.J.M. Houtsma and J.L. Goldstein. The central origin of the pitch of complex tones: evidence from musical interval recognition. *JASA*, 51:520, 1972.
- [HHI⁺93] Hämäläinen, R. Hari, R.J. Ilmomiemi, J. Knuutila, and O.V. Louhasmaa. Mahnetoencephalography – theory, instrumentation, and applications to noninvasive studies of the working human brain. *Rev. Mod. Phys.*, 65:413, 1993.

- [HHM78] T.C. Hundley, H.Benioff, and D.W. Martin. Factors contributing to the multiple rate of piano tone decay. *JASA*, 64:1303, 1978.
- [HM94] A.J. Hudspeth and Vladislav S. Markin. The ear's gears: Mechanoelectrical transduction by hair cells. *Physics Today*, February 1994:22, 1994.
- [HS90] A.J.M. Houtsma and J. Smurzynski. Pitch identification and discrimination for complex tones with many harmonics. *JASA*, 87:304, 1990.
- [JM88] E. Javel and J.B. Mott. Physiological and psychophysical correlates of temporal processes in hearing. *Hearing research*, 34:275–294, 1988.
- [Joh80] D.H. Johnson. The relationship between spike rate and synchrony in responses of auditory-nerve fibers to single tones. *JASA*, 68:1115, 1980.
- [Jun] Herbert Junghanns. Akustische Grundlagen des Klaviers. ??
- [JY74] B.M. Johnstone and G.K. Yates. Basilar membrane tuning curves in the guinea pig. *JASA*, 55:584, 1974.
- [Kel53] J.B. Keller. Bowing of violin strings. *Com. Pure and Appl. Math.*, 6:483, 1953.
- [KM74] N.Y.S. Kiang and E.C. Moxon. Tails of tuning curves of auditory-nerve fibers. *JASA*, 55:620, 1974.
- [L⁺95] O.G. Lins et al. Auditory steady-state response to tones amplitude modulated at 80-110 hz. *JASA*, 97:3051, 1995.
- [Lan83] G. Langner. Evidence for neuronal periodicity detection in the auditory system of the guinea fowl: Implications for pitch analysis in time domain. *Exp. Brain Res.*, 52:333, 1983.
- [Lan92] G. Langner. Periodicity coding in the auditory system. *Hearing Research*, 80:115, 1992.
- [LC⁺94] C. Liégeois-Chauvel et al. Evoked potentials from the auditory cortex in man: evaluation and topography of the middle latency components. *Electroencephalography and clinical Neurophysiology*, 92:204–214, 1994.
- [Lei] Emil Leipp. Was ist ein Klavierton, Was ist eine Klavierklangfarbe. ??, ??
- [Len94] T. Lenarz. Otoakustische emisionen. *Dt. Aerzteblatt*, 91:C1414, 1994.

- [LGWP83] B. Libet, C.A. Gleason, E.W. Wright, and D.K. Pearl. Time of conscious intention to act in relation to onset of cerebral activity. *Brain*, 106:623, 1983.
- [Lic51] J.C.R. Licklider. A duplex theory of pitch perception. *Experientia*, 7:128, 1951.
- [LS8]
- [LSHS97a] G. Langner, M. Sama, P. Heil, and H. Schulze. Frequency and periodicity are represented in orthogonal maps in the human auditory cortex: Evidence from magnetoencephalography. ??, ???:??, 1997.
- [LSHS97b] G. Langner, M. Sama, P. Heil, and H. Schulze. Frequency and periodicity are represented in orthogonal maps in the human auditory cortex: evidence from magnetoencephalography. *J. Comp. Physiol. A*, XX:XX, 1997.
- [M⁺88] A. Mathis et al. Schweren zentrale Hörstörung oder akustische Agnosie? *Sprache-Stimme-Gehör*, 12:173, 1988.
- [May94] A.M. Mayer. Researches in acoustics. *Phil. Mag. Ser. 5*, 37:259, 1894.
- [McF87] D. McFadden. Failure of a missing fundamental complex to interact with masked and unmasked pure tones at its fundamental frequency. *Hearing Research*, 32:23–40, 1987.
- [MG83] B.C.J. Moore and B.R. Glasberg. Suggested formular for calculating auditory-filter bandwidths and excitation patterns. *JASA*, 74, 1983.
- [MM91] R Meddis and M.J.Hewitt. Virtual pitch and pahase sensitivity of a computer model of the auditory periphery. i:pitch identification. *JASA*, 89:2866, 1991.
- [Mol74] A.R. Moller. Coding of sounds with rapidly varying spectrum in the cochlear nucleus. *JASA*, 55:631, 1974.
- [Moo89] B.C. Moore. *An Introduction to the Psychology of Hearing*. Acad. Pr., London etc, 3 edition, 1989.
- [NN] NN. *Zeitgebundene Informationsverarbeitung im zentralen auditorischen System*.
- [Ohm43] Georg Simon Ohm. Ueber die Definition des Tones, nebst daran geknüpfter Theorie der sirene und ähnlicher tonbildender Vorrichtungen . *Annalen der Physik und Chemie*, 59:497–565, 1843.

- [Ohm44] Georg Simon Ohm. Noch ein Paar Worte über die Definition des Tones. *Annalen der Physik und Chemie*, 62:1–19, 1844.
- [Ohmxx] Georg Simon Ohm. Bemerkungen über Combinationstöne und Stösse. *Annalen der Physik und Chemie*, 47:463, 18xx.
- [P⁺91] C. Pantev et al. Neuromagnetic evidence of functional organization of the auditory cortex in humans. *Acta Otolaryngol*, 491 Suppl:106, 1991.
- [P⁺95] C. Pantev et al. Specific tonotopic organizations of different areas in the human auditory cortex revealed by simultaneous magnetic and electric recordings. *Electroencephalography and clinical Neurophysiology*, 94:26, 1995.
- [P⁺96] Christo Pantev et al. Binaural fusion and the representation of virtual pitch in the human auditory cortex. *Hearing Research*, ???:???, 1996.
- [PAG95] R.D. Patterson, M. Allerhand, and C. Giguere. Time-domain modelling of peripheral auditory processing: A modular architecture and a software platform. *JASA*, 98:1890, 1995.
- [Pat73] R.D. Patterson. The effects of relative phase and the number of components on residue pitch. *JASA*, 53:1565, 1973.
- [Pat90a] R.D. Patterson. The tone height of multiharmonic sounds. *Music Perception*, 8:203, 1990.
- [Pat90b] R.D. Patterson. The tone height of multiharmonic sounds. *Music Perception*, 8:203–214, 1990.
- [PC95] C.J. Plack and R.P. Carlyon. Differences in frequency modulation detection and fundamental frequency discrimination between complex tones consisting of resolved and unresolved harmonics. *JASA*, 98:1355, 1995.
- [PF92] A.N. Popper and R.R. Fay. *The Mammalian Auditory Pathway: Neurophysiology*. Springer, Berlin Heidelberg New York, 1992.
- [PHLL89] C. Pantev, M. Hoke, B. Lütkenhöner, and K. Lehnertz. Tonotopic organization of the auditory cortex: Pitch versus frequency representation. *Science*, 246:486, 1989.
- [Pie92] J.R. Pierce. *The Science of Musical Sound*. Freeman, New York, 1992.
- [Plo64] R. Plomp. The ear as a frequency analyzer. *JASA*, 36:1628, 1964.
- [Plo76] R. Plomp. *Aspects of Tone Sensation*. Acad. Pr., London etc, 1976.

- [Pre93] Annemarie Preisler. The influence of spectral composition of complex tones and musical experience on the perceptibility of virtual pitch. *Perception and Psychophysics*, 54:589, 1993.
- [PW19] R. Pitteroff and J. Woodhouse. Mechanics of the contact area between bow and string, Part I,II,III. *Acustica*, ??:???, 19??
- [Ram22] J.P. Rameau. *Traité de l'Harmonie reduite à ses Principes naturels*. Ballard, Paris, 1 edition, 1722. engl. Translation by Gosset. Dover.
- [Ras89] S.A. Rashid. Die Musik der Keilschriftkulturen. In C. Dahlhaus, editor, *Neues Handbuch der Musikwissenschaften*, volume 1. Laaber, 1989.
- [R.D94a] R.D.Patterson. The sound of a sinusoid:Spectral models. *JASA*, 96:1409, 1994.
- [R.D94b] R.D.Patterson. The sound of a sinusoid:Time-interval models. *JASA*, 96:1419, 1994.
- [RDSR05] S. Ritter, H.G. Dosch, H.J. Specht, and A. Rupp. Neuromagnetic responses reflect the temporal pitch change of regular interval sounds. *NeuroImage*, 2005.
- [RE64] R.J. Ritsma and F.L. Engel. Pitch of frequency-modulated signals. *JASA*, 36:1637, 1964.
- [Rho71] W.S. Rhode. Observation of the vibration of the basilar membrane in squirrel monkeys using the mössbauer technique. *JASA*, 49:1218, 1971.
- [Rho95] W. S. Rhode. Interspike intervals as a correlate of periodicity pitch in cat cochlear nucleus. *JASA*, 97:2414, 1995.
- [Rig74] J.S. Rigden. Variations of sound intensity for mistuned consonances. *JASA*, 56:1095, 1974.
- [Rit05] Steffen Ritter. *Magnetoencephalographic Study on the Representation of Huygens Noise in the Auditory Cortex of Humans*. PhD thesis, Phys. Dept. Heidelberg, 2005.
- [Roe75] J.G. Roederer. *Physikalische und Psychoakustische Grundlagen der Musik*. Springer, Berlin etc, german edition, 1975.
- [Ron71] D.A. Ronken. Some effects of bandwidth-duration constraints on frequency discrimination. *JASA*, 49:1232, 1971.
- [Rug92] M.A. Ruggero. Physiology and coding of sound in the auditory nerve. In A.N. Popper and R.R. Fay, editors, *The Mammalian Auditory Pathway: Neurophysiology*. Springer, Berlin Heidelberg New York, 1992.

- [RWK83] G.L. Romani, S.J. Williamson, and L. Kaufman. Tonotopic organization of the human auditory cortex. *Science*, 216:1339, 1983.
- [Ryu92] D.K. Ryugo. The auditory nerve. In D.B. Webster, A.N. Popper, and R.R. Fay, editors, *The Mammalian Auditory Pathway: Neuroanatomy*. Springer, Berlin Heidelberg New York, 1992.
- [Sau01] Joseph Sauveur. *Principes d'acoustique et de musique*. 1700/01.
- [SC94] T.M. Shackleton and R.P. Carlyon. The role of resolved and unresolved harmonics in pitch perception and frequency modulation discrimination. *JASA*, 95:3529, 1994.
- [Sch] J.F. Schouten. The residue revisited. *JASA*, 34:??, ??
- [Sch38] J. F. Schouten. The perception of subjective tones. *Proc. Kon. Ned. Akad. v. Wetensch.,Amsterdam*, 41:1086, 1938.
- [Sch40a] J. F. Schouten. The residue, a new component in subjective sound analysis. *Proc. Kon. Ned. Akad. v. Wetensch.,Amsterdam*, 43:356, 1940.
- [Sch40b] J. F. Schouten. The residue and the mechanics of hearing. *Proc. Kon. Ned. Akad. v. Wetensch.,Amsterdam*, 43:992, 1940.
- [Sch96] Peter Schneider. Residuen- und Inetrvallerkennung bei harmonischen komplexen Tönen, 1996.
- [Sch97] M. Scherg. Biomagnetismus. 1997.
- [Sch00] P. Schneider. *Source activity and tonotopicorganization of the auditory cortex in musicians and non-musicians*. PhD thesis, Phys. Dept. Heidelberg, 2000.
- [SD90] C. Semal and L. Demany. The upper limit of “musical” pitch. *Music Perception*, 8:165–176, 1990.
- [SD10] N. Sieroka and H.G. Dosch. Leibniz’s perceptions insensibles and modern neurophysiology. *Studia Leibnitiana*, XL, 1:14–28, 2010.
- [SDSR03] N. Sieroka, H.G. Dosch, H.J. Specht, and A. Rupp. Additional neuromagnetic source activity outside the auditory cortex in duration discrimination correlates with behavioural ability. *NeuroImage*, 20:1697, 2003.
- [See41] August Seebek. Beobachtungen über einige Bedingungen der Entstehung von Tönen. *Annalen der Physik und Chemie*, 53:417, 1841.
- [See43] August Seebek. Ueber die Sirene. *Annalen der Physik und Chemie*, 60:449–481, 1843.

- [See44] August Seebeck. Ueber die Definition des Tones. *Annalen der Physik und Chemie*, 63:353–381, 1844.
- [SH86] B. Scharf and A.J.M. Houtsma. Loudness, pitch, localization, aural distortion, pathology. In Beff and Kaufmann, editors, *Handbook of Perception*. 1986.
- [SHH89] M. Scherg, R. Hari, and M. Hämäläinen. Frequency-specific sources of the auditory N19-P30-P50 response detected by a multiple source analysis of evoked magnetic fields and potentials. In S.J. Williamson et al., editors, *Advances in Biomagnetism*. Plenum, New York, 1989.
- [Sie04] N. Sieroka. *Neurophysiological Aspects of Time Perception*. PhD thesis, Phys. Dept. Heidelberg, 2004.
- [SP91] M. Scherg and T.W. Picton. Separation and identification of event-related potential components by brain electric source analysis. In C.H.M. Brunis et al., editors, *Event-related Brain Research*. Elsevier, Amsterdam, 1991.
- [SP97] A. Seither-Preisler. *Neuromagnetische Korrelate subjektiver Tonhöhenempfindung*, 1997.
- [SRC61] J.F. Schouten, R.J. Ritsma, and B. Lopez Cardozo. Pitch of the residue. *JASA*, 34:1418, 1961.
- [SSD⁺02] P. Schneider, M. Scherg, H.G. Dosch, H.J. Specht, A. Gutschalk, and A. Rupp. Morphology of Heschl’s gyrus reflects enhanced activation in the auditory cortex of musicians. *nature neuroscience*, 5:688, 2002.
- [SSR⁺05] P. Schneider, V. Sluming, N. Roberts, M. Scherg, R. Goebel, Specht, H.J. Dosch, H.G., S. Bleek, C. Stippich, and A. Rupp. Structural and functional asymmetry of lateral Heschl’s gyrus reflects pitch perception preference. *nature neuroscience*, 8:1241, 2005.
- [Sta80] W. Stauder. *Einführung in die Akustik*. Heinrichshofen, Wilhelmshaven, 2 edition, 1980.
- [SV83] M. Scherg and S.A. Volk. Frequency specificity of simultaneously recorded early and middle latency auditory evoked potentials. *Electroencephalography and clinical Neurophysiology*, 56:443–452, 1983.
- [SvC] M. Scherg and D. von Cramon. Dipole source potentials of the auditory cortex in normal subjects and in patients with temporal lobe lesions. In *Advances in Audiology: vol. 6 Auditory Evoked Magnetic Fields and Electric Potentials*.

- [SvC86] M. Scherg and D. von Cramon. Evoked dipole source potentials of the human auditory cortex. *Electroencephalography and clinical Neurophysiology*, 85:344–360, 1986.
- [SVP89] M. Scherg, J. Vasjar, and T.W. Picton. A source analysis of the late human auditory evoked potentials. *J. Cognitive Neuroscience*, 1:336, 1989.
- [T⁺93] H. Tiitinen et al. Tonotopic auditory cortex and the magnetoencephalographic equivalent of the mismatch negativity. *Psychophysiology*, 30:537, 1993.
- [Ter] E. Terhardt. Die Helmholtzsche Theorie der musikalischen Konsonanz: Missverständnisse, Ergänzungen, Korrekturen.
- [Ter76] E. Terhardt. Ein psychoakustisch begründetes Konzept der Musikalischen Konsonanz. *Acustica*, 36:121, 1976.
- [Ter91] E. Terhardt. Music perception and sensory information acquisition: Relationships and low-level analogies. *Music Perception*, 8:217, 1991.
- [Ter98] E. Terhardt. *Akustische Kommunikation*. Springer, Berlin, Heidelberg, New York, 1998.
- [Thi]
- [Ton74] J. Tonndorf. In memoriam Georg von Békésy 1899-1972. *JASA*, 55:576, 1974.
- [TSN98] M. Tervaniemi, E. Schröger, and R. Näätänen. Pre-attentive memory functions involved in the processing of spectrally complex sounds with asynchronous onsets: An ERP study. *subm. Neurosc. Lett.*, 1998.
- [TSS82a] E. Terhardt, G. Stoll, and M. Seewann. Algorithm for extraction of pitch and pitch salience from complex tonal signals. *JASA*, 71:679, 1982.
- [TSS82b] E. Terhardt, G. Stoll, and M. Seewann. Pitch of complex signals according to virtual-pitch theory: tests, examples, and predictions. *JASA*, 71:671, 1982.
- [Tur] R.S. Turner. The Ohm-Seebeck dispute, Hermann von Helmholtz, and the origins of physiological acoustics, year=1977, journal=The British Journal for the History of Science, volume=10, pages=1 subject=.
- [vdW] B.L. van der Waerden. Die Harmonielehre der Pythagoreer, year=1943, journal=Hermes, Z. klass. Phil., volume=78, pages=163-199 subject=Hist.

- [W⁺89] S.J. Williamson et al., editors. *Advances in Biomagnetism*. Plenum, New York, 1989.
- [Web92] D. B. Webster. An overview over mammalian auditory pathways with an emphasis on humans. In D.B. Webster, A.N. Popper, and R.R. Fay, editors, *The Mammalian Auditory Pathway: Neuroanatomy*. Springer, Berlin Heidelberg New York, 1992.
- [Wei77] G. Weinreich. Coupled piano strings. *JASA*, 62:1474, 1977.
- [Wei79] G. Weinreich. Gekoppelte schwingungen von klaviersaiten. *Scient. Am. Germ.*, March:81, 1979.
- [Wei93] G. Weinreich. What science knows about violins – and what it does not know. *Am. J. Phys.*, 61:1067, 1993.
- [Wig73] F.L. Wightman. Pitch and stimulus fine structure. *JASA*, page 397, 1973.
- [Win92] J.A. Winter. Auditory forebrain functional anatomy. In D.B. Webster, A.N. Popper, and R.R. Fay, editors, *The Mammalian Auditory Pathway: Neuroanatomy*. Springer, Berlin Heidelberg New York, 1992.
- [WMA74] T.F. Weiss, M.J. Mulroy, and D.W. Altmann. Intercellular responses to acoustic clicks in the inner ear of the alligator lizard. *JASA*, 55:606, 1974.
- [Wog] Klaus Wogram. Akustische Untersuchungen an Klavieren. ??
- [WPF92] D.B. Webster, A.N. Popper, and R.R. Fay. *The Mammalian Auditory Pathway: Neuroanatomy*. Springer, Berlin Heidelberg New York, 1992.
- [YH78] W.A. Yost and R. Hill. Strength of the pitches associated with ripple noise. *JASA*, 64:485, 1978.
- [YH79] W.A. Yost and R. Hill. Models of the pitch and pitch strength of ripple noise. *JASA*, 66:400, 1979.
- [Zat98] R. Zatorre. How do our brains analyze temporal structure in sound. *nature neuroscience*, 1:343, 1998.
- [ZF99] E. Zwicker and H. Fastl. *Psychoacoustics*. Springer, Berlin Heidelberg New York, 1999.
- [Zwi74] J.J. Zwislocki. Cochlear waves: interaction between theory and experiments. *JASA*, 55:578, 1974.
- [Zwi82] E. Zwicker. *Psychoakustik*. Springer, Berlin etc., 1982.